RRRRR	RRRRRRR RRRRRRR RRRRRRR RRR	UUU UUU UUU	UUU UUU UUU	NNN NNN NNN	NNN NNN NNN	0000	000000	FFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFF	FFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFF	
RRR	RRR	UUU	UUU	NNN	NNN	000	000	FFF	FFF	
RRR	RRR	UUU	UUU	NNN	NNN		000	FFF	FFF	
RRR	RRR	UUU	UUU	NNNNN			000	FFF	FFF	
RRR	RRR	UUU	UUU	NNNNN			000	FFF	FFF	
RRR	RRR	UUU	UUU	NNNNN			000	FFF	FFF	
	RRRRRRR	UUU	UUU	NNN	NNN NNN		000	FFFFFFFFFF	FFFFFFFFFF	
	RRRRRRR	UUU	UUU	NNN	NNN NNN		000	FFFFFFFFFF	FFFFFFFFFF	
	RRRRRRR	UUU	UUU	NNN	NNN NNN		000	FFFFFFFFFF	FFFFFFFFFF	
RRR	RRR	UUU	UUU	NNN	NNNNN		000	FFF	FFF	
RRR	RRR	UUU	UUU	NNN	NNNNN		000	FFF	FFF	
RRR	RRR	UUU	UUU	NNN	NNNNN		000	FFF	FFF	
RRR	RRR	UUU	UUU	NNN	NNN		000	FFF	FFF	
RRR	RRR	UUU	UUU	NNN	NNN		000	FFF	FFF	
RRR	RRR	UUU	UUU	NNN	NNN		000	FFF	FFF	
RRR	RRR	UUUUUUUUU		NNN	NNN	0000	000000	FFF	FFF	
RRR	RRR	UUUUUUUUU		NNN	NNR	0000	000000	FFF	FFF	
RRR	RRR	UUUUUUUU	UUUUUU	NNN	NNN	0000	000000	FFF	FFF	

\_\$2

BBBBBBBB BBBBBBBBB BB BB BB BBBBBBB BBBBBBBB		GGGGGGGG GGGGGGGG GG GG GG GG GG GG GG	NN			MM MMM MMM MM MM MM MM MM MM MM MM
--	--	--	--	--	--	--

000000 RR RR RR

CL

\*\*\*\*

LI

!Version V04-000 -- 16-0CT-1980

COPYRIGHT (c) 1978, 1980, 1982, 1984 BY DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. ALL RIGHTS RESERVED.

THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY TRANSFERRED.

THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT CORPORATION.

DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.

!For DSR V1.124f

Macros for defining the largest and smallest numbers that can be represented in a single %BPVAL.

MACRO

MOST\_NEGATIVE = !The most negative number that can be represented %BLISS16(%x'8000') %BLISS32(%x'80000000') %BLISS36(%0'400000000000')%,

MOST\_POSITIVE = !The biggest positive number that can be represented ABS(MOST\_NEGATIVE + 1)%,

MOST\_DIGITS = !The maximum number of digits in a number %BLISS16(5) %BLISS32(10) %BLISS36(11)%,

MOST\_DIGITS\_9 = !Maximum number of digits in a number of the form 99999....
(MOST\_DIGITS - 1)%;

End of BIGNUM.REQ

LI

CL

.

0335 AH-BT13A-SE VAX/VMS V4.0

## DIGITAL EQUIPMENT CORPORATION CONFIDENTIAL AND PROPRIETARY

